

Trigonometric Identities

$$\sin(x+y) = \sin x \cos y + \cos x \sin y$$

$$\sin(x-y) = \sin x \cos y - \cos x \sin y$$

$$\cos(x+y) = \cos x \cos y - \sin x \sin y$$

$$\cos(x-y) = \cos x \cos y + \sin x \sin y$$

$$\tan(x+y) = \frac{\tan x + \tan y}{1 - \tan x \tan y}$$

$$\tan(x+y) = \frac{\tan x - \tan y}{1 + \tan x \tan y}$$

$$\sin 2x = 2 \sin x \cos x$$

$$\cos 2x = \begin{cases} \cos^2 x - \sin^2 x \\ 1 - 2 \sin^2 x \\ 2 \cos^2 x - 1 \end{cases}$$

$$\tan 2x = \frac{2 \tan x}{1 - \tan^2 x} = \frac{2 \cot x}{\cot^2 x - 1} = \frac{2}{\cot x - \tan x}$$

$$\tan(\frac{\pi}{2} - x) = \cot x$$

$$\cos(\frac{\pi}{2} - x) = \sin x$$

$$\sin(\frac{\pi}{2} - x) = \cos x$$

$$\sin \frac{x}{2} = \pm \sqrt{\frac{1-\cos x}{2}} \quad \cos \frac{x}{2} = \pm \sqrt{\frac{1+\cos x}{2}}$$

$$\tan \frac{x}{2} = \frac{1 - \cos x}{\sin x} = \frac{\sin x}{1 + \cos x} = \pm \sqrt{\frac{1 - \cos x}{1 + \cos x}}$$

Trigonometric Identities

$$\sin x + \sin y = 2 \sin\left(\frac{x+y}{2}\right) \cos\left(\frac{x-y}{2}\right)$$

$$\sin x - \sin y = 2 \cos\left(\frac{x+y}{2}\right) \sin\left(\frac{x-y}{2}\right)$$

$$\cos x + \cos y = 2 \cos\left(\frac{x+y}{2}\right) \cos\left(\frac{x-y}{2}\right)$$

$$\cos x - \cos y = -2 \sin\left(\frac{x+y}{2}\right) \sin\left(\frac{x-y}{2}\right)$$

$$\sin^2 x + \cos^2 x = 1$$

$$1 + \tan^2 x = \sec^2 x$$

$$1 + \cot^2 x = \csc^2 x$$

$$\sin^2 x = \frac{1 - \cos 2x}{2}$$

$$\cos^2 x = \frac{1 + \cos 2x}{2}$$

$$\tan^2 x = \frac{1 - \cos 2x}{1 + \cos 2x}$$

$$\sec\left(\frac{\pi}{2} - x\right) = \csc x \quad \csc\left(\frac{\pi}{2} - x\right) = \sec x$$

$$\cot\left(\frac{\pi}{2} - x\right) = \tan x$$